		Date		
	•	x: 701-328-2410, Email: sbau sociation, Fax 701-235-1026,		
The _		requests	requests permission to increase/decrease its	
	(name of elevator)		(circle choice)	
capacity by _	(bushels of increase/decrease)	from(current bushels)	_ bushels to (total bushels with increase/decrease)	
oushels.	,	` , ,	,	
This is	s for:			
*PERMANE	ENT STORAGE(check here for	effective	,	
*TEMPORA		effective	and to	
terminate at 1	1:59 p.m. on	ease is to be terminated)		

*Permanent or temporary refers to the <u>length of time</u> for which the <u>bond increase</u> is needed, NOT the <u>storage</u> facility structure.

(signature of person requesting change)

corn _____, wheat _____, soybeans _____, other ____;

location of pile(s)_____ and surface type_____ (grass, asphalt, concrete, etc.)

Sincerely,

In the past, temporary increases in bond to cover ground piles or other temporary storage usually expired in 90 days, or more if requested and then approved by the bonding company. If a second temporary increase was added during the life of the first increase the bond went up again, then down when the first increase expired, then up again if a third increase was added. It got plenty confusing for the manager and PSC.

If there are multiple temporary increases the earlier ones will extend, accumulate, and expire with the last increase. Three increases of \$100,000 each will accumulate to \$300,000 that will expire when the last increase expires. The additional premium for the extension of the expiration dates will be figured in with the additional requests.

This will relieve the manager of tracking different increase and decrease dates when requesting several increases in a short period of time.